



PRO AUDIO/VIDEO & CAMERA

Ultimate Protection and Effortless Mobility





*Pictured from left to right:
SKB Owners/Founders - Dave Sanderson and Steve Kottman*



OUR STORY

In 1977, two ambitious college students developed the first SKB case in a small Anaheim, California garage. Today, SKB Corporation is known around the world as the leading innovator and manufacturer of the finest musical instrument and equipment cases. Since the inception of our company, in addition to SKB branded products, leading companies have proudly supplied SKB cases for protection of their own products. SKB builds cases for five different major markets (Music, Camera/Video, Sports, Industrial and Military) and this diversity allows us to be more creative and innovative in our case designs across the board. We remain dedicated to the assurance that every case with a SKB logo has been manufactured with an unconditional commitment to unsurpassed quality.


Professional Audio Engineers understand the value of SKB transport products. With a wide variety of transport systems for mixers, rack systems and accessories, SKB provides maximum protection, effortless mobility and in-use functionality.



One of our Injection Molders in action

INJECTION-MOLD

This is SKB's latest venture in our quest to provide the most innovative hard shell case products. Injection molding is an expensive investment and there is no room for error. Made with extreme pressure, even the smallest injection molded part requires a very large and heavy mold. SKB has molds that are nearly 20 tons! Many of our parts, such as our patented trigger latches are produced by the injection mold process. Our 3i case series includes a gasket that makes the case watertight and dustproof. Our latest injection molded cases for guitars and basses are very popular with touring musicians. These cases have dual lives as they are also used for military weapons. Never before has an ATA flight case been so lightweight, yet so advanced.



Pictured: Molds rotating during production.

ROTO-MOLD

In 1997, SKB invested in roto-mold machinery. These molds are ideal for making larger cases and cylindrical cases. The PE roto-mold material starts as a fine powder that is measured according to the size of the case. The material is then sealed up in a multi-piece aluminum mold and fixed on a biaxial rotating wheel. The material is heated at 800 degrees in a very large oven while constantly rotating. The powder melts and coats the inside of the mold and after cooling, the cast is disassembled and the case is removed. Roto-Molding is great for providing maximum protection and can withstand maximum impact in transport.



Pictured: Vacuum mold for keyboard case.

VACUUM FORM

Also known as thermal form, this was the first and most recognized "SKB Style" case. This method is very popular for guitar or band instrument cases. In 1990, SKB developed the first vacuum formed rack case. ABS* or PE* is formed into solid sheets of material. The sheets are heated and are vacuum formed around aluminum castings, thus taking the shape of the mold. The edges have the distinctive aluminum valance that provides rigid construction as well as a secure fit. Vacuum formed products are known for their light weight and extreme durability.

*Acrylonitrile Butadiene Styrene (ABS), Polyethylene (PE)

Gig Rigs

1SKB19-R1406



Specifications:

- Rotationally Molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance.
- 14U+, 7° angled top threaded steel rails for secure mounting of popular mixers.
- 6U threaded vertical steel rails on front and back
- Unique 3-piece design uses the top cover as a pedestal when attached to wheeled base.

Step 1



Gig Rig is lockable and stores/travels as a solid cube

Step 2



The Lid will be used as a pedestal

Step 3



Attach Lid to bottom caster skid

Step 4



Attach mixer section to top of Lid. Puts mixer and proper height.

Gig Rig Expander



Add an additional 12U (6U front/6U back) for additional Gig Rig rack storage. Top lid of expander is removable for complete cable access between Gig Rig and Expander.

Features



Back of rack is 8" deep to accommodate back load mixers



4 over-molded, spring loaded handles for easy maneuvering

Accessories

1SKB-AV14
Scissor Shelf

1SKB-VS-2
7° Shelf



1SKB-VS-1 Pull-out
Shelf

Gig Rigs

1SKB19-R1208



Specifications:

- Rotationally Molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance.
- 12U+, 7° angled top threaded steel rails for secure mounting of popular mixers.
- 8U threaded vertical steel rails on front and back
- Unique 3-piece design uses the top cover as a pedestal when attached to wheeled base.

Gig Rig Expander



The 1SKB-R1906 rack expander provides an extra 12U (6U front/6U Back) to R1208 Gig Rig. Includes 4" locking casters



1SKB-AV8 Scissor Shelf



2 extra-long injection molded handles for two hand lifting

Gig Rigs	Top Rack	Vertical Rack Units	Rail -to-Rail Depth	Outside Dims DxWxH	Product Wt.
1SKB19-R1406	14U	6U Front 6U Back	26" 66.04 cm	32.25"x 24" x 26.50" 81.92 cm x 60.96 cm x 67.31 cm	55.5 lbs. 25.17 kg
1SKB19-R1208	12U	8U Front 8U Back	19" 48.26 cm	27.50"x 23.50" x 29.50" 69.85 cm x 59.69 cm x 74.93 cm	68.6 lbs. 31.12 kg
Rack Expanders	Fits				
1SKB19-REX6	1SKB19-R1406	6U Front 6U Back	26" 66.04 cm	32.25"x 24" x 17.75" 81.92 cm x 60.96 cm x 45.08 cm	38.4 lbs. 17.42 kg
1SKB-R1906	1SKB19-R1208	6U Front 6U Back	20.75" 52.71 cm	15"x 25.5" x 26" 38.10 cm x 64.77 cm x 66.04 cm	35.8 lbs. 16.24 kg
Accessories	Material	Rack Unit Required		Surface Dims (WxD)	Product Wt.
1SKB-AV14 Only for 1SKB19-R1406	Plastic Shelf Metal scissor hinge	14U 7° Top Rack		16"" x 16.5" 40.64 cm x 41.91 cm	6.8 lbs. 3.08 kg
1SKB-AV8	Metal Shelf Metal scissor hinge	8U 7° Top Rack		17" x 11" 43.18 cm x 27.94 cm	6 lbs. 2.72 kg
1SKB-VS-1	Plastic Shelf Pull out	2U (Vertical)		16"" x 16.5" 40.64 cm x 41.91 cm	7 lbs. 3.18 kg
1SKB-VS-2	Metal Shelf Fixed	8U 7° Top Rack		17.375" x 12.5" 44.13 cm x 31.75 cm	4.5 lbs. 2.04 kq

Gig Rigs

1SKB19-R1010

Specifications:

- Rotationally Molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance.
- Top is (10U) angled rackmount rails + 6" in rear for cables
- 10U rackmount on the bottom
- 5 inch locking wheels



1SKB19-R1006

Specifications:

- Rotationally Molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance.
- Top is (10U) angled rackmount rails + 6" in rear for cables
- 6U rackmount space below



Model #	Top Rack	Vertical Rack Units	Rail -to-door Depth	Outside Dims DxWxH	Product Wt.
1SKB19-R1006	10U	6U Front	17" 43.18 cm	22.63"x 24.50" x 20.75" 57.47 cm x 62.23 cm x 52.71 cm	33.2 lbs. 15.06 kg
1SKB19-R1010	10U	10U Front	17" 43.18 cm	23.75"x 24.75" x 29" 60.33 cm x 61.60 cm x 73.66 cm	39.4 lbs. 17.87 kg

Compact Rigs

Specifications:

- Rotationally Molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance.
- Top and doors are injection molded of Rubber Modified Styrene (RMS)
- 10U, 7° angled top threaded steel rails for secure mounting of popular mixers/DJ controllers.
- 2U/4U/6U threaded vertical steel rails on front
- Two removeable side access plugs.



1SKB-R102

10 x 2 Roto Rack/Mixer Console



1SKB-R104

10 x 4 Roto Rack/Mixer Console



1SKB-R106

10 x 6 Roto Rack/Mixer Console

Rig Expander



The 1SKB-R1906 provides an extra 12U (6U front/6U Back) to R102/4/6 and 1SKB19-R1208 Gig Rig.



Accessories



1SKB-VS-2 Fixed Hook & Loop rack shelf for 7° rack mount



1SKB-AV8 Hook & Loop retract shelf for 7° rack mount

Model #	Top Rack	Vertical Rack Units	Rail Depth	Outside Dims DxWxH	Product Wt.
1SKB-R102	10U	2U	19"	23.25"x 23.5" x 14.5"	19.8 lbs.
			48.26 cm	49.53 cm x 59.69 cm x 36.83 cm	8.98 kg
1SKB-R104	10U	4U	19"	23.25"x 23.5" x 17.75"	24 lbs.
			48.26 cm	49.53 cm x 59.69 cm x 45.09 cm	10.89 kg
1SKB-R106	10U	6U	19.5"	23.25"x 23.5" x 21.25"	25.75 lbs.
			49.53 cm	49.53 cm x 59.69 cm x 53.98 cm	11.68 kg
1SKB-R1906		6U Front	20.75"	26"x 25.5" x 15"	35.8 lbs.
		6U Back	52.71 cm	66.04 cm x 64.77 cm x 38.10 cm	16.24 kg

Studio Flyers

1SKB19-RSF2U

Specifications:

- Rotationally Molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance.
- 2U vertical rack and hook-and-loop laptop surface with adjustable corner cleates
- Two stage retractable handle and easy glide wheels
- Cable pass through from laptop to rack
- Built-in mouse pad surface
- Removable hinged cover



1SKB19-RSF4U

Specifications:

- Rotationally Molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance.
- 4U vertical rack and hook-and-loop laptop surface with adjustable corner cleates
- Two stage retractable handle and easy glide wheels
- Cable pass through from laptop to rack
- Stacks with rolling racks
- Removable hinged cover



Model #	Top Platform	Vertical Rack Units	Rail -to-door Depth	Outside Dims DxWxH	Product Wt.
1SKB19-RSF2U	19.75" x 12 50.16 cm x 30.48 cm	2U	17" 43.18 cm	14"x 22" x 9.25" 35.56 cm x 55.88 cm x 23.50 cm	16.3 lbs. 7.39 kg
1SKB19-RSF4U	21.5" x 15.5" 54.61 cm x 39.37 cm	4U	17" 43.18 cm	18.75" x 24.50" x 13.5" 47.63 cm x 62.23 cm x 34.29 cm	23.5 lbs. 10.66 kg

Mixer Cases



1SKB19-P12
12U Pop-Up Mixer case



1R2723-8BW

1Roto Molded PreSonus StudioLive
24/Allen & Heath ZED24 Case
with Wheels



1SKB19-R1400

14U Roto-Molded Mixer Safe with 7°
Rack Rails. Stacks on 1SKB19-REX6
Rack Expander



3i2217-8-1602

iSeries Injection Molded for
PreSonus StudioLive 1602



1SKB-4231

Mixer Safe fits a variety of larger
format mixers. Includes adjustable
corner cleates.

Model #	Material	Inside Dims LxWxD	Outside Dims LxWxD	Product Wt.
3i2217-8-1602	Injection Molded	Custom Cut PE Foam	24.32" x 19.50" x 8.86" 61.77 cm x 49.53 cm x 22.50 cm	13.3 lbs 6.03 kg
1SKB19-P12	Vacuum-Formed (PE) 12U Rack	19" x 21" x 5.5" 48.26 cm x 53.34 cm x 13.97 cm	23.25" x 26" x 9.50" 59.06 cm x 66.04 cm x 24.13 cm	15.7 lbs. 7.12 kg
1SKB19-R1400	Roto-Molded 14U+ Rack	28.25" x 19" x 9.38" 71.76 cm x 48.26 cm x 23.81 cm	29.50" x 24" x 12.25" 74.93 cm x 60.96 cm x 31.11 cm	24.55 lbs. 11.14 kg
1R2723-8BW	Roto-Molded w/wheels	26.75" x 23" x 8" 67.95 cm x 58.42 cm x 20.32 cm	33.5" x 28.5" x 10.5" 85.09 cm x 72.39 cm x 26.67 cm	32.2 lbs. 14.61 kg
1SKB-3026	Vacuum-Formed (PE)	29" x 26" x 8.5" 73.66 cm x 66.04 cm x 21.59 cm	32.38" x 28.75" x 10.25" 82.23 cm x 73.03 cm x 26.04 cm	24.55 lbs. 11.14 kg
1SKB-3331	Vacuum-Formed (PE)	33" x 31" x 8" 83.82 cm x 78.74 cm x 20.32 cm	35.75" x 34" x 9.75" 90.81 cm x 86.36 cm x 24.77 cm	30.35 lbs. 13.77 kg
1SKB-3823	Vacuum-Formed (PE)	36.25" x 21" x 7.5" 36.25 cm x 21 cm x 7.5 cm	40" x 24.5" x 10.25" 101.6 cm x 62.23 cm x 26.03 cm	22.6 lbs. 10.25 kg
1SKB-4231	Vacuum-Formed (PE)	41" x 29.25" x 7" 92.07 cm x 53.34 cm x 19.05 cm	44.75" x 33.9" x 11" 20.30 cm x 15.37 cm x 4.98 cm	36 lbs. 16.32 kg

Mixer/Speaker Cases

Universal Bags

Specifications:

- 600 Denier exterior
- Heavy-duty dual zippers
- Adjustable padded shoulder strap
- Double stitched carrying handle
- Convenient padded exterior accessory compartment for iPad or cables



Model #	Inside Dims HxWxD	Product Wt.
1SKB-UB0909	9"x 9" x 2.75" 22.86 cm x 22.86 cm x 6.99 cm	1.4 lbs. .64 kg
1SKB-UB1212	12"x 12" x 4" 30.48 cm x 30.48 cm x 10.16 cm	1.6 lbs. .73 kg
1SKB-UB1515	15"x 15" x 5" 38.10 cm x 38.10 cm x 12.70 cm	1.9 lbs. .82 kg
1SKB-UB1818	18"x 18" x 5.5" 45.72 cm x 45.72 cm x 13.97 cm	2.0 lbs. .91 kg
1SKB-UB2020	20"x 20" x 5.5" 50.80 cm x 50.80 cm x 13.97 cm	2.2 lbs. 1 kg

Mixer/Speaker Cases

Specifications:

- Durable 600 Denier exterior layered over rigid plywood core
- Padded interior
- Heavy duty double pull zipper
- Convenient exterior accessory pouch
- Lifting handles
- Indestructible injection molded pull-out handle
- Supported dually wheels

Model #	Inside Dims HxWxD	Product Wt.
1SKB-SCPM1	19"x 12.25" x 11" 48.26 cm x 31.11 cm x 27.94 cm	14.6 lbs. 6.62 kg
1SKB-SCPM2	21.25"x 12.50" x 13.25" 53.98 cm x 31.75 cm x 33.66 cm	17 lbs. 7.71 kg
1SKB-SCPS1	27"x 17.5" x 15" 68.58 cm x 44.45 cm x 38.1 cm	22.8 lbs. 10.34 kg
1SKB-SCPS2	24"x 14" x 15" 60.96 cm x 35.5 cm x 38.1 cm	21.2 lbs. 9.62 kg





1SKB-5009BL

Bose L1 & L1 Model II Speaker Case



1SKB-4009BP

Bose L1 Model II Power Stand/
Audio Engine Case



3i-5014-LBAR

iSeries Light Bar Case

Specifications:

- Will hold four light bars up to 36.75" in length
- Moveable PE foam blocks that will allow you to comfortably fit two short light bars or one long bar per 2.75" wide channel
- The space underneath the light fixtures can be used to store cables for a complete set-up

Controller Cases

Specifications:

- Durable 600 Denier exterior layered with rigid foam core
- Padded interior
- Heavy duty double pull zipper
- Convenient exterior accessory pouch
- Carrying handle and convenient shoulder strap



Model #	Inside Dims HxWxD	Product Wt.
1SKB-SC1913	19"x 12.75" x 3.13" 48.26 cm x 32.39 cm x 7.94 cm	3 lbs. 1.36 kg
1SKB-SC2111	21.50"x 11.25" x 3.88" 54.61 cm x 28.58 cm x 9.84 cm	3.60 lbs. 1.63 kg
1SKB-SC2311	23"x 11" x 3.63" 58.42cm x 27.94 cm x 9.21 cm	3.20 lbs. 1.45 kg
1SKB-SC2316	23"x 16" x 5.5" 58.42 cm x 40.64 cm x 13.97 cm	5 lbs. 2.26 kg
1SKB-SC2414	23.75"x 14" x 3" 60.3 cm x 35.5 cm x 7.62 cm	3 lbs. 1.3 kg
1SKB-SC2709	27.25"x 9.75" x 3" 69.22 cm x 24.77 cm x 7.62 cm	2.8 lbs. 1.27 kg
1SKB-SC2714	27"x 14.25" x 3.25" 68.5 cm x 36 cm x 8.26 cm	3.4 lbs. 1.5 kg
1SKB-SC3212	32"x 12" x 3.25" 81.28 cm x 30.48 cm x 8.26 cm	4 lbs. 1.81 kg

Mic Cases

3i-0907-MC3

iSeries 3 Mic Case



3i-2011-MC12

iSeries 12 Mic Case



3i0907-4-SFP

iSeries Shure Wireless Mic Case



3i-1711-XLX

iSeries Shure Wireless Mic Case



3i-1711-SEW

iSeries Sennheiser Wireless Mic Case

Wired Mic Cases	Interior Foam Description	Outside Dims LxWxD	Product Wt.
3i-0907-4KM18	Foam cut for Neumann KM-180 Series Mic	10.73"x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	2.7 lbs. 1.22 kg
3i-0907-MC3	(3) Mics w/Perforated foam for different mic shapes	10.73"x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	2.4 lbs. 1.09 kg
3i-0907-MC6	(6) Mics w/Perforated foam for different mic shapes	10.73"x 9.69" x 6.82" 27.25 cm x 24.61 cm x 17.32cm	3.05 lbs. 1.38 kg
3i-2011-MC12	(12) Mics w/Cable storage	21.93"x 13.98" x 9" 55.7 cm x 35.51 cm x 22.86 cm	9.0 lbs. 4.08 kg
3i-2015-MC24	(24) Mics w/Cable storage and wheels	22.92"x 17.98" x 11.55" 58.22 cm x 45.67 cm x 29.34 cm	15.80 lbs. 7.17 kg
Wireless Mic Cases			
3i0907-4-SFP	Foam cut for Shure FP-Wireless System	10.73"x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	2.8 lbs. 1.27 kg
3i0907-4-SWK	Foam cut for Sennheiser SW Wireless Mic Series	10.73"x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	2.8 lbs. 1.27 kg
3i-1711-XLX	Foam cut for Shure SLX/ULX Wireless Mic System	18.25"x 13.79" x 6.81" 46.36 cm x 35.03 cm x 17.3 cm	7.05 lbs. 3.20 kg
3i-1711-SEW	Foam cut for Sennheiser EW Wireless Mic Series	18.25"x 13.79" x 6.81" 46.36 cm x 35.03 cm x 17.3 cm	7.05 lbs. 3.20 kg

Recorder Cases

Zoom H6 Recorders

SKB iSeries Officially Licensed waterproof hard cases were specifically designed for the Zoom H6 recorders with custom cut high quality PE foam interiors. The compact 3i-0907-4-H6 case includes spaces for the recorder, XYH-6 X/Y mic capsule, MSH-6 MS mic capsule, cables, memory cards, and additional accessories. The larger 3i-1209-4-H6B includes additional pockets for the SGH-6 Shotgun mic capsule and EXH-6 Dual XLR/TRS Combo capsule.



3i-0907-4-H6
iSeries Zoom H6 Recorder Case

3i-1209-4-H6B
iSeries Zoom H6 Recorder Case



Zoom H4 Recorder

SKB iSeries waterproof hard case with custom cut ELE foam that includes pockets for the recorder, power supply, wind screens, memory cards and other accessories.

3i0907-4B-01
iSeries Zoom H4N Recorder Case



i series



Recorder Cases	Interior Foam Description	Outside Dims LxWxD	Product Wt.
3i-0907-4-H6	Foam cut for Zoom H6 Recorder	10.73"x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	2.8 lbs. 1.27 kg
3i-1209-4-H6B	Foam cut for Zoom H6 Recorder	13.18"x 11.12" x 5.21" 33.48 cm x 28.24 cm x 13.23 cm	3.6 lbs. 1.63 kg
3i0907-4B-01	Foam cut for Zoom H4N Recorder	10.73"x 9.69" x 4.8" 27.25 cm x 24.61 cm x 12.19 cm	2.4 lbs. 1.09 kg

Video Cases

Custom GoPro Interiors

Designed for all models of the GoPro Cameras. Custom cut ELE foam interior includes pockets for the camera, memory cards and other accessories.

3i0907-4-008

iSeries GoPro Camera Case 1-Pack



3i1209-4-012

iSeries GoPro Camera Case 2-Pack



3i1209-4-010

iSeries GoPro Camera Case 3-Pack



3i-13096BKMG

Blackmagic Camera Case. Designed to fit the Blackmagic Cinema Camera or Production Camera 4K and popular accessories.

i series



Model #	Interior Foam Description	Outside Dims LxWxD	Product Wt.
3i0907-4-008	(1) Pack interior foam for GoPro Cameras	10.73" x 9.69" x 4.80"	2.6 lbs.
		27.25 cm x 24.61 cm x 12.19 cm	1.18 kg
3i0907-4-012	(2) Pack interior foam for GoPro Cameras	10.73" x 9.69" x 4.80"	2.6 lbs.
		27.25 cm x 24.61 cm x 12.19 cm	1.18 kg
3i1209-4-010	(3) Pack interior foam for GoPro Cameras	13.8" x 11.12" x 5.21"	3.55 lbs.
		33.48 cm x 28.24 cm x 13.23 cm	1.61 kg



3i-20118C300

Custom PE foam designed for Canon C300 or C500 camera and accessories.



3i-221710F3P

Custom PE foam designed to fit either the Panasonic AGAC160PJ or the Sony PMW-F3 camera and accessories.

3i-221712JV7

Custom PE foam designed for the JVC GY-HM750 camera and accessories.



Model #	Interior Foam Description	Outside Dims LxWxD	Product Wt.
3i-13096BKMG	Foam cut for Blackmagic camera	14.73"x 11.94" x 7.31" 37.41 cm x 30.33 cm x 18.57 cm	5.2 lbs. 2.36 kg
3i-20118C300	Foam cut for Canon C300 or C500	21.93"x 13.98" x 9" 55.7 cm x 35.51 cm x 22.86 cm	9.4 lbs. 4.26 kg
3i-20118LENS	Foam cut for 6 Cine Lenses	21.93"x 13.98" x 9" 55.7 cm x 35.51 cm x 22.86 cm	9.4 lbs. 4.26 kg
3i-201510F5	Foam cut for Sony F5 or F55	22.92"x 17.98" x 11.55" 58.22 cm x 45.67 cm x 29.34 cm	16.2 lbs. 7.35 kg
3i-201510AX1	Foam cut for Sony FDR-AX1	22.92"x 17.98" x 11.55" 58.22 cm x 45.67 cm x 29.34 cm	16 lbs. 7.26 kg
3i-221712JV7	Custom foam for JVC GY-HM750	24.34"x 19.47" x 14.38" 61.82 cm x 49.45 cm x 36.53 cm	18.15 lbs. 8.23 kg
3i-221710F3P	Foam cut for Panasonic AGAC160PJ or Sony PMW-F3	24.50"x 19.37" x 12.22" 62.23 cm x 49.20 cm x 31.04 cm	19.8 lbs. 8.98 kg
3i-261712370	Foam cut for Panasonic AG-HPX370	28.6"x 20" x 13.65" 72.64 cm x 50.8 cm x 34.67 cm	23.4 lbs. 10.61 kg

Camera Cases

3i-0907-6SLR

iSeries DSLR Camera Case with pockets for additional lens, battery and memory card.



3i-13096LENS

iSeries DSLR Pro Camera Case. Fits multiple lenses



3i-13096SLR1

Fits most popular DSLR bodies with lens attached. Removable foam block allows for multiple configurations.



3i-13096SLR2

Holds up to two lenses such as a 24-70mm and 70-200mm.



Model #	Interior Foam Description	Outside Dims LxWxD	Product Wt.
3i-0907-6SLR	Foam cut for DSLR Camera	10.68" x 9.69" x 6.82" 27.13 cm x 24.61 cm x 17.32 cm	2.8 lbs. 1.27 kg
3i-13096SLR1	Foam cut for DSLR Camera	14.73" x 11.94" x 7.31" 37.41 cm x 30.33 cm x 18.57 cm	5.2 lbs. 2.36 kg
3i-13096SLR2	Foam cut for DSLR Camera	14.73" x 11.94" x 7.31" 37.41 cm x 30.33 cm x 18.57 cm	5.2 lbs. 2.36 kg
3i-13096LENS	Foam cut for Multiple Lenses	14.73" x 11.94" x 7.31" 37.41 cm x 30.33 cm x 18.57 cm	5.2 lbs. 2.36 kg
3i-1510H6SLR	Foam cut for DSLR Camera and Zoom H4N/H6 Recorder	16.24" x 12.94" x 6.78" 41.25 cm x 32.87 cm x 17.22 cm	6.6 lbs. 2.99 kg



3i-19148DSLR

iSeries Pro DSLR Camera Case with pockets for additional lens, battery and memory card.



3i-20117SLR2

iSeries DSLR Camera Case. Holds two camera bodies with 24-70mm and 70-200mm lenses attached.



i series



Model #	Interior Foam Description	Outside Dims LxWxD	Product Wt.
3i-19148DSLR	Foam cut for DSLR Cameras	21.26" x 16.75" x 9.83" 54 cm x 42.55 cm x 24.97 cm	14.80 lbs. 6.71 kg
3i-20117SLR2	Foam cut for DSLR Cameras	21.89" x 13.96" x 9" 55.6 cm x 35.46 cm x 22.85 cm	11.8 lbs. 5.3 kg

Laptop/Monitor Cases



3i-1813-5B-N

iSeries Laptop case with lid organizer.



3i-1813SNSC

- iSeries Laptop Case w/Sun Screen
- Accessory compartment under Laptop ideal for power supply or hard drives
- 3/8" female thread on bottom of the case for a tripod or stand

*Tripod not included

Model #	Interior Description	Outside Dims LxWxD	Product Wt.
3i-1813-5B-N	Fits up to 17" laptop computers	19.68" x 15.18" x 5.46" 49.99 cm x 38.56 cm x 13.87 cm	11.5 lbs. 5.22 kg
3i-1813SNSC	Sun Screen stores in the lid and up to 17" laptop in the base	19.68" x 15.18" x 5.46" 49.99 cm x 38.56 cm x 13.87 cm	7.6 lbs. 3.45 kg

Flat Screen Transport Cases

Flat Screen Transport Cases are Rotationally molded for maximum impact resistance to protect and transport large flat screen monitors. Corner wheels for tilting and easy transport.

3SKB-2026

Holds 20" to 26" Flat Screen Monitors in desirable upright position. Will fit 27" iMac. Can be shipped standard UPS or FedEx.

Also available in the following sizes:

3SKB-3237:
Accommodates 32" to 37" Flat Screen Monitors

3SKB-4250:
Accommodates 42" to 50" Flat Screen Monitors

3SKB-5260:
Accommodates 52" to 60" Flat Screen Monitors

For additional info go to: www.skbcases.com



Tripod/Stand Cases

1SKB-R4209W

42" Top loading tripod case with top/bottom padding and wheels.

1SKB-R3709W

37" Top loading tripod case top/bottom padding and wheels.

1SKB-H5020W

XL stand case with wheels and straps.

1SKB-H4812W

Medium stand case with wheels and straps.

1SKB-H3611

Small stand case with wheels and straps.

Model #	Interior Description	Interior Dims LxWxD	Product Wt.
1SKB-R3709W	Tripod Case	37"x 9 x 9" 93.98 cm x 22.86 cm x 22.86 cm	12.5 lbs. 5.5 kg
1SKB-R4209W	Tripod Case	42"x 9 x 9" 106.68 cm x 22.86 cm x 22.86 cm	12.5 lbs. 5.5 kg
1SKB-H3611	Small Stand Case	36.75"x 12" x 8.25" 93 cm x 30 cm x 35 cm	12 lbs. 5.5 kg
1SKB-H4812W	Medium Stand Case	48"x 11.25" x 11" 122 cm x 28 cm x 28 cm	15 lbs. 7 kg
1SKB-H4816W	Large Stand Case	48.25"x 16" x 12.35" 122 cm x 41 cm x 31 cm	21.5 lbs. 9.75 kg
1SKB-H5020W	XL Stand Case	49.75"x 20" x 13.75" 126 cm x 51 cm x 35 cm	23 lbs. 10 kg

iSeries

Injection Molded Watertight Cases

Injection Molded to be extremely strong and light.



Specifications:

- Watertight/dustproof design using tongue & groove construction
- Automatic ambient pressure equalization valve allows case to equalize pressures caused by altitude or temperature change
- Impact strength polypropylene co-polymer provides ultimate protection and is lighter while being multiple times stronger than the competition.
- Patented "Trigger Latches" stay closed until you want them opened. Key locking "TSA" accepted versions are available.



Custom foam, Hot Stamping, Colors and Options available in minimum quantities.

Model #	INSIDE L x W x H	LID DEPTH	BASE DEPTH	*WEIGHT/empty	Pull Handle/Wheels	Padded Dividers	Cubed Foam	Layered Foam
3i-0907-4	9.5"x 7.38" x 4.13" / 24.13 cm x 18.75 cm x 10.4 cm	1.19"/3 cm	2.94"/7.4 cm	2.4 lbs./1.09 kg		X	X	X
3i-0907-6	9.38"x 7.38" x 6.13" / 24.13 cm x 18.75 cm x 15.5 cm	1.19"/3 cm	4.94"/12.5 cm	2.8 lbs./1.27 kg		X	X	X
3i-1209-4	12"x 9" x 4.5" / 30.4 cm x 22.8 cm x 11.4 cm	1.5"/3.8 cm	3"/7.63 cm	3.2 lbs./1.45 kg		X	X	X
3i-1309-6	13.5"x 9.5" x 6.5" / 34.3 cm x 24.1 cm x 16.5 cm	1.5"/3.8 cm	3"/7.63 cm	4.6 lbs./2.08 kg		X	X	
3i-1510-6	15"x 10.38" x 6" / 38.1 cm x 26.3 cm x 15.2 cm	1.75"/4.4 cm	4.25"/10.7 cm	5.2 lbs./2.36 kg		X	X	
3i-1610-5	16"x 10" x 5.5" / 40.6 cm x 25.4 cm x 13.9 cm	2"/5 cm	3.5"/8.89 cm	5 lbs./2.26 kg		X	X	X
3i-1711-6	17"x 11.5" x 6" / 43.18 cm x 29.21 cm x 15.24 cm	1.75"/4.4 cm	4.25"/10.8 cm	6.1 lbs./2.77 kg		X	X	X
3i-1813-5	18.5"x 13" x 4.75" / 47 cm x 33 cm x 12 cm	1.5"/3.8 cm	3.25"/8.25 cm	5.9 lbs./2.68 kg		X	X	X
3i-1813-7	18.5"x 13" x 7" / 47 cm x 33 cm x 17.7 cm	1.5"/3.8 cm	5.5"/13.9 cm	6.7 lbs./3.02 kg		X	X	
3i-1914-8	19"x 14.38" x 8" / 48.26 cm x 36.5 cm x 20 cm	2"/5 cm	6"/15.24 cm	12.9 lbs./5.85 kg	X	X	X	X
3i-1914N-8	19"x 14.5" x 8" / 48.26 cm x 36.83 cm x 20 cm	2"/5 cm	6"/15.24 cm	8 lbs./3.63 kg		X	X	
3i-2011-7	20.38"x 11.44" x 7.5" / 51.7 cm x 29 cm x 19 cm	2"/5 cm	5.5"/13.9 cm	10.5 lbs./4.76 kg	X	X	X	
3i-2011-8	20.38"x 11.44" x 8" / 51.7 cm x 29 cm x 20.3 cm	2"/5 cm	6.25"/15.8 cm	7.9 lbs./3.56 kg		X	X	
3i-2015-7	20.5"x 15.5" x 7.5" / 52 cm x 39.3 cm x 19 cm	2"/5 cm	5.5"/13.9 cm	8.9 lbs./4.04 kg		X	X	
3i-2015-10	20.5"x 15.5" x 10" / 52 cm x 39.3 cm x 25.4 cm	2"/5 cm	8"/20.3 cm	13.2 lbs./6 kg	X	X	X	
3i-2217-8	22"x 17" x 8" / 55.88 cm x 43 cm x 20.32 cm	2"/5 cm	6"/15.24 cm	11 lbs./4.98 kg		X	X	
3i-2217-10	22"x 17" x 10.5" / 55.88 cm x 43 cm x 26.6 cm	2"/5 cm	8.5"/21.6 cm	16.9 lbs./7.66 kg	X	X	X	
3i-2217-12	22"x 17" x 12.7" / 55.88 cm x 43 cm x 32.2 cm	2"/5 cm	10.7"/27.18 cm	18.2 lbs./8.25 kg	X	X	X	
3i-2222-12	22.5"x 22.5" x 12.5" / 57.15 cm x 57.15 cm x 31.75 cm	2"/5 cm	10.5"/26.6 cm	20.6 lbs./9.34 kg	X	X	X	
3i-2317-14	23"x 17" x 14" / 58.42 cm x 43 cm x 35.5 cm	2.5"/6.35 cm	11.5"/29.2 cm	19.9 lbs./9 kg	X		X	
3i-2617-12	26"x 17.5" x 12" / 66.04 cm x 44.45 cm x 30.5 cm	2"/5 cm	10"/25.4 cm	20.8 lbs./9.4 kg	X	X	X	
3i-2918-10	29"x 18" x 10.85" / 73.66 cm x 45.7 cm x 27.5 cm	2"/5 cm	8.85"/22 cm	21.6 lbs./9.7 kg	X	X	X	
3i-2918-14	29"x 18" x 14" / 73.66 cm x 45.7 cm x 35.5 cm	2.5"/6.35 cm	11.5"/29.2 cm	23.2 lbs./10.52 kg	X		X	
3i-3021-18	30"x 21" x 18" / 76.2 cm x 53.3 cm x 45.7 cm	2"/5 cm	16"/40.64 cm	29.3 lbs./13 kg	X		X	
3i-3026-15	30.75"x 26" x 15.5" / 78 cm x 66 cm x 39.3 cm	2"/5 cm	13.5"/34.29 cm	31.6 lbs./14.3 kg	X		X	
3i-3614-6	36.5"x 14.5" x 6" / 92.7 cm x 36.83 cm x 15 cm	1.5"/3.8 cm	4.5"/11.43 cm	15.2 lbs./6.89 kg	X			X
3i-4214-5	42.5"x 14.5" x 5.5" / 107.9 cm x 36.83 cm x 14 cm	1.5"/3.8 cm	4"/10.16 cm	16.5 lbs./7.48 kg	X			X
3i-4213-12	42.5"x 13.5" x 12" / 108 cm x 34.2 cm x 30.5 cm	2"/5 cm	10"/25.4 cm	22.6 lbs./10.25 kg	X			X
3i-4217-7	42.5"x 17" x 7.5" / 107.9 cm x 43.18 cm x 19 cm	2"/5 cm	5.5"/13.9 cm	20.3 lbs./9.21 kg	X			X
3i-4909-5	49"x 9" x 5" / 124.5 cm x 22.9 cm x 12.7 cm	1.5"/3.8 cm	3.5"/8.9 cm	12.4 lbs./5.6 kg				X
3i-5014-6	50.5"x 14.5" x 6" / 128.27 cm x 36.83 cm x 15 cm	1.5"/3.8 cm	4.5"/11.43 cm	18.9 lbs./8.5 kg	X			X

*Weight is for empty version

R-Series

Rotationally Molded Watertight Cases

Roto molded for strength and ergonomic design, these cases are impenetrable, yet lightweight with a LMDPE shell for maximum impact resistance. UV, solvent, corrosion and fungus resistant with black powder coated stainless steel hardware to prevent rusting. Comfortable, spring-loaded, rubber over-molded handles, these cases are designed to withstand levels of punishment in excess of all ATA and most industrial and military shipping specifications.



3R3025-15B

Mil-Standard, watertight, cargo series.



3R5030-24B

Solid stainless steel padlockable latches and hinges that will withstand the most demanding shipping conditions.



3R1919-14B

Impenetrable and lightweight with a LMDPE shell for maximum impact resistance.

Model #	INSIDE L X W X H	LID DEPTH	BASE DEPTH	Pull Handle/Wheels	Caster Kit*	Padded Dividers	Cubed Foam	Layered Foam
3R1919-14B	19" x 18.75" x 14.375" / 48.26 cm x 47.6 cm x 36.5 cm	3"/7.62 cm	11.375"/28.9cm	X			X	
3R2216-15B	22" x 16" x 15" / 55.9 cm x 40.6 cm x 38.1 cm	3"/7.62 cm	12"/30.5 cm					
3R2217-10B	22" x 17" x 10.5" / 55.9 cm x 43.18 cm x 26.67 cm	3"/7.62 cm	7.5"/19 cm	X		X	X	
3R2222-12B	22" x 22" x 12" / 55.9 cm x 55.9 cm x 30.5 cm	3"/7.62 cm	9"/22.86 cm	X		X	X	
3R2222-20B	22" x 22" x 20" / 55.9 cm x 55.9 cm x 50.8 cm	3.5"/8.9 cm	16.5"/42 cm		X	X		
3R2423-17B	24" x 23" x 17" / 61 cm x 58.5 cm x 43 cm	3.5"/8.9 cm	13.5"/34.30 cm	X			X	
3R2424-24B	24" x 24" x 24" / 61 cm x 61 cm x 61 cm	3.5"/8.9 cm	20.5"/52 cm		X		X	
3R2727-18B	27" x 27" x 18" / 68.5 cm x 68.5 cm x 45.7 cm	3.5"/8.9 cm	20.5"/52 cm		X		X	
3R2727-27B	27" x 27" x 27" / 68.5 cm x 68.5 cm x 68.5 cm	3.5"/8.9 cm	23.5"/59.6		X		X	
3R2817-10B	29" x 17.5" x 10.5" / 73.6 cm x 44.5 cm x 26.67 cm	2"/5.8 cm	8.5"/21.6	X			X	
3R3025-15B	30" x 25" x 15" / 76.2 cm x 63.5 cm x 38.1 cm	3.5"/8.9 cm	11.5"/29.21 cm	X			X	
3R3214-15B	32" x 14.5" x 15.75" / 81.28 cm x 36.83 x 40 cm	3.75"/9.5	12.5"/31.75 cm	X			X	
3R4024-18B	40" x 24" x 18" / 101.6 cm x 61 cm x 45.72 cm	3.5"/8.9 cm	14.5"/37 cm		X		X	
3R4024-24B	40" x 24" x 24" / 101.6 cm x 61 cm x 61 cm	3.5"/8.9 cm	20.5"/52 cm		X		X	
3R4417-8B	44.25" x 17.50" x 8" / 112 cm x 44.5 x 20 cm	3.125"/8 cm	4.875"/12.4 cm	X				
3R4530-24B	45" x 30" x 24" / 114 cm x 76 cm x 61 cm	3.5"/8.9 cm	20.5"/52 cm		X			
3R4909-5B	49.5" x 9" x 5.5" / 125 cm x 23 cm x 14 cm	2.25"/5.8 cm	3.5"/8.9 cm					
3R5030-24B	50" x 30" x 24" / 127 cm x 76 cm x 61 cm	3.5"/8.9 cm	20.5"/52 cm		X			
3R5212-7B	52.5" x 12.125" x 8" / 133 cm x 31 cm x 20 cm	3.125"/8 cm	4.875"/12.4 cm	X				
3R6218-10B	62.625" x 18.25" x 10" / 160 cm x 46 cm x 25 cm	3"/7.6 cm	7"/17.8	X				
3R6223-10B	62.625" x 23.25" x 10" / 160 cm x 60 cm x 25 cm	3"/7.6 cm	7"/17.8	X				

*3SKB-CAST1 Caster Plate & Wheel Kit available separately

RotoX-Series

Rotationally molded transport cases. Available in over 20 stock sizes.



Roto-X Cases	Interior Dims LxWxH	Lid Depth	Body Depth	Product Wt.
3SKB-X1814-12	18"x 14" x 12" 45.7 cm x 35.6 cm x 30.5 cm	3" 7.6 cm	9" 22.9 cm	15.8 lbs. 7.17 kg
3SKB-X1818-10	18"x 18" x 10" 45.7 cm x 45.7 cm x 25.40 cm	4.5" 11.4 cm	4.5" 11.4 cm	17.15 lbs. 7.78 kg
3SKB-X1818-14	18"x 18" x 14" 45.7 cm x 45.7 cm x 35.6 cm	4.5" 11.4 cm	9.5" 24.1 cm	17.75 lbs. 8.05 kg
3SKB-X1818-18	18"x 18" x 18" 45.7 cm x 45.7 cm x 45.7 cm	4" 10.2 cm	14" 35.6 cm	22.85 lbs. 8.05 kg
3SKB-X2318-16	23"x 18" x 16" 45.7 cm x 35.6 cm x 30.5 cm	3" 7.6 cm	13" 33 cm	24.05 lbs. 10.91 kg
3SKB-X2415-10	24"x 15" x 10" 61 cm x 38.1 cm x 24.4 cm	5" 12.7 cm	5" 12.7 cm	30 lbs. 13.61 kg
3SKB-X2424-14	24"x 24" x 14" 61 cm x 61 cm x 35.6 cm	3" 7.6 cm	11" 27.9 cm	29.65 lbs. 13.45 kg
3SKB-X2424-18	24"x 24" x 18" 61 cm x 61 cm x 45.7 cm	3" 7.6 cm	15" 38.1 cm	31.5 lbs. 14.29 kg
3SKB-X2424-22	24"x 24" x 22" 61 cm x 61 cm x 55.9 cm	7" 17.8 cm	15" 38.1 cm	33 lbs. 14.97 kg
3SKB-X2513-16	25.25"x 12.75" x 16" 64.1 cm x 32.4 cm x 40.6 cm	4" 10.2 cm	12" 30.5 cm	21.7 lbs. 9.84 kg
3SKB-X2624-32	26"x 24" x 32" 66 cm x 61 cm x 81.3 cm	12" 30.5 cm	20" 50.8 cm	47.15 lbs. 21.38 kg
3SKB-X2719-10	27"x 19" x 10" 68.6 cm x 48.3 cm x 25.4 cm	5" 12.7 cm	5" 12.7 cm	22.45 lbs. 10.18 kg
3SKB-X2828-22	28"x 28" x 22" 71.1 cm x 71.1 cm x 55.9 cm	8" 20.3 cm	14" 35.6 cm	42.5 lbs. 19.27 kg
3SKB-X2915-14	29"x 15" x 14" 73.7 cm x 38.1 cm x 35.6 cm	3" 7.6 cm	11" 27.9 cm	23.8 lbs. 10.79 kg
3SKB-X3226-30	32"x 26" x 30" 81.3 cm x 66 cm x 76.2 cm	8" 20.3 cm	22" 55.9 cm	53.85 lbs. 24.42 kg
3SKB-X3426-16	34"x 26" x 16" 86.4 cm x 66 cm x 40.6 cm	3" 7.6 cm	13" 33 cm	30.4 lbs. 13.79 kg
3SKB-X3518-15	35"x 18" x 15" 88.9 cm x 45.7 cm x 38.1 cm	5" 12.7 cm	10" 25.4 cm	30.8 lbs. 13.79 kg
3SKB-X3722-21	37.25"x 21.75" x 21.75" 94.6 cm x 55.2 cm x 55.2 cm	6.5" 16.5 cm	15.25" 38.7 cm	44.85 lbs. 20.34 kg
3SKB-X4530-24*	43.25"x 28.25" x 21.75" 94.6 cm x 71.7 cm x 55.2 cm	3.25" 8.3 cm	18.50" 47 cm	71.8 lbs. 32.56 kg
3SKB-X5026-16	50"x 26" x 16" 127 cm x 66 cm x 40.6 cm	3" 7.6 cm	13" 33 cm	65.45 lbs. 29.68 kg
3SKB-X5030-24	50"x 30" x 24" 127 cm x 76.2 cm x 61 cm	4" 10.2 cm	20" 50.8 cm	87.5 lbs. 39.68 kg

***Includes Casters**

Rack Cases

Audio Soft Racks



Specifications:

- Ideal for wireless microphone systems
- Constructed of a wood core covered by 600 Denier Nylon.
- Adjustable shoulder strap and loop handle for easy transport
- Padded front and back lids have heavy duty zippers
- Recessed threaded steel rack rails

Model #	Vertical Rack Units	Front Rail -to-Back Flap	Outside Dims DxWxH	Product Wt.
1SKB19-SC191U	1U	14.8"	17.5"x 20.75" x 3.75"	6.55 lbs.
		37.6 cm	44.45 cm x 52.71 cm x 9.53 cm	2.97 kg
1SKB19-SC192U	2U	14.8"	17.5"x 20.75" x 6.5"	8.95 lbs.
		37.6 cm	44.45 cm x 52.71 cm x 16.51 cm	4.06 kg

Standard Racks

Vacuum Formed Standard Rack Cases.

Specifications:

- Front and Rear Rails
- Rack mount clips included



Model #	Outside Dims DxWxH	Lid Depth	Rail-to-Rail Depth	Product Wt.
1SKB19-2U	20.25"x 21" x 5.5"	2.5"	15"	9 lbs.
	51.44 cm x 53.34 cm x 13.97 cm	6.4 cm	38.1 cm	4.08 kg
1SKB19-3U	21.5"x 22" x 7.75"	2.5"	15.75"	11.3 lbs.
	54.61 cm x 55.88 cm x 19.68 cm	6.4 cm	40 cm	5.12 kg
1SKB19-4U	21.5"x 22" x 9.5"	2.5"	15.75"	12.2 lbs.
	54.61 cm x 55.88 cm x 24.13 cm	6.4 cm	40 cm	5.53 kg
1SKB19-6U	21.5"x 22" x 13"	2.5"	15.75"	14.7 lbs.
	54.61 cm x 55.88 cm x 33.02 cm	6.4 cm	40 cm	6.67 kg
1SKB19-8U	21.5"x 22" x 16.5"	2.5"	15.75"	16.55 lbs.
	54.61 cm x 55.88 cm x 41.91 cm	6.4 cm	40 cm	7.51 kg
1SKB19-10U	21.5"x 22" x 20"	2.5"	15.75"	19.85 lbs.
	54.61 cm x 55.88 cm x 50.8 cm	6.4 cm	40 cm	9 kg
1SKB19-12U	21.5"x 22" x 23.5"	2.5"	15.75"	21.2 lbs.
	54.61 cm x 55.88 cm x 59.69 cm	6.4 cm	40 cm	9.61 kg

Roto Shallow Racks

Rotationally Molded Shallow Rack Cases.

Specifications:

- Steel Front/Rear Threaded Rails
- Water resistant gasket in lids



Model #	Vertical Rack Units	Rail-to-Rail Depth	Outside Dims DxWxH	Product Wt.
1SKB-R2S	2U	10.7" 27.17 cm	16.2"x 22.4" x 5.5" 41.15 cm x 56.9 cm x 13.97 cm	9.2 lbs. 4 kg
1SKB-R3S	3U	10.7" 27.17 cm	16.2"x 22.4" x 7.4" 41.15 cm x 56.9 cm x 18.8 cm	10.4 lbs. 4.7 kg
1SKB-R4S	4U	10.7" 27.17 cm	16.2"x 22.4" x 9" 41.15 cm x 56.9 cm x 22.86 cm	12.8 lbs. 5.8 kg
1SKB-R6S	6U	10.7" 27.17 cm	16.2"x 22.4" x 12.6" 41.15 cm x 56.9 cm x 32 cm	17.4 lbs. 7.9 kg
1SKB-RCB	4-Caster Board			

Roto Racks

Rotationally Molded Rack Cases stack with Roto Shallow Racks.

Specifications:

- Steel Front/Rear Threaded Rails
- Water resistant gasket in lids



Roto Racks	Vertical Rack Units	Rail -to-Rail Depth	Outside Dims DxWxH	Product Wt.
1SKB-R2U	2U	17.6" 44.96 cm	24"x 22.4" x 6.2" 60.96 cm x 56.9 cm x 15.75 cm	16.3 lbs. 7.39 kg
1SKB-R4U	4U	17.6" 44.96 cm	24"x 22.4" x 9.7" 60.96 cm x 56.9 cm x 24.64 cm	23.5 lbs. 10.66 kg
1SKB-R6U	6U	17.6" 44.96 cm	24"x 22.4" x 13.2" 60.96 cm x 56.9 cm x 33.53 cm	16.3 lbs. 7.39 kg
1SKB-R8U	8U	17.6" 44.96 cm	24"x 22.4" x 16.7" 60.96 cm x 56.9 cm x 42.42 cm	23.5 lbs. 10.66 kg
1SKB-R10U	10U	17.6" 44.96 cm	24"x 22.4" x 20.2" 60.96 cm x 56.9 cm x 51.31 cm	16.3 lbs. 7.39 kg
1SKB-R12U	12U	17.6" 44.96 cm	24"x 22.4" x 23.7" 60.96 cm x 56.9 cm x 60.2 cm	23.5 lbs. 10.66 kg
1SKB-RCB	4-Caster Board			

Rack Cases

Ultimate Strength Racks

The ultimate in American technology with its recognizable patented deep Roto-X pattern for solid stackability, recessed heavy-duty twist latches, molded in handles and anti-skid rubber feet.



Standard Rack Depth - Front to Rear Rail: 17.5"/44.5cm

Model #	Lid Depth	Vertical Rack Units	Rack Height	Product Wt.
1SKB-R2	2"	2 space	3.5"	10.75 lbs.
	5.1 cm		8.9 cm	4.88 kg
1SKB-R4	2"	4 space	7"	12.75 lbs.
	5.1 cm		17.8 cm	5.78 kg
1SKB-R6	2"	6 space	10.5"	14.9 lbs.
	5.1 cm		26.7 cm	6.76 kg
1SKB-R8	2"	8 space	14"	19.10 lbs.
	5.1 cm		35.6 cm	8.66 kg
1SKB-R10	2"	10 space	17.5"	20.46 lbs.
	5.1 cm		44.5 cm	9.28 kg
1SKB-R12	2"	12 space	21"	23.35 lbs.
	5.1 cm		53.3 cm	10.59 kg
1SKB-1904	Caster Cart			

Rolling Roto Racks

Rotationally Molded Rolling Rack models offer secure protection with the convenience of sturdy built-in wheels and a pull handle.



Standard Racks	Outside Dims DxWxH	Lid Depth	Body Depth	Product Wt.
1SKB-R4W	24.5"x 24" x 10.75"	1.125"	19"	17.25 lbs.
	62.23 cm x 60.96 cm x 27.31 cm	2.9 cm	48.3 cm	7.82 kg
1SKB-R6W	24.5"x 24" x 14"	1.125"	19"	19.6 lbs.
	62.23 cm x 60.96 cm x 35.56 cm	2.9 cm	48.3 cm	8.89 kg
1SKB-R8W	24.5"x 24" x 18"	1.125"	19"	27.5 lbs.
	62.23 cm x 60.96 cm x 45.72 cm	2.9 cm	48.3 cm	12.47 kg

Shock Rack Cases

20" Roto Molded Shock Racks

All models of SKB's Shock Rack cases are rotationally molded of LMDPE for maximum impact resistance, and feature the latest in shockmount technology with elastomeric shocks, threaded steel rails and aluminum cross components for strength and durability. All models of Shock Racks have EIA standard 19" rack width and include rear rails and covers for support and accessibility. The 28" and Pullout Shock Racks have standard square hole rack rails and accept most sliding rail kits.



Standard Rack Depth - Front to Rear Rail: 20"/51cm

20" Shock Racks	Lid Depth	Vertical Rack Units	Rack Height	Product Wt.
1SKB-R904U20	2.25" 5.7 cm	4 space	7" 17.8 cm	36 lbs. 16.3 kg
1SKB-R906U20	2.25" 5.7 cm	6 space	10.5" 26.7 cm	43.3 lbs. 19.6 kg
1SKB-R908U20	3.25" 8.3 cm	8 space	14" 35.6 cm	46.5 lbs. 21.1 kg
1SKB-R910U20	3.25" 8.3 cm	10 space	17.5" 44.5 cm	54.4 lbs. 24.7 kg
1SKB-R912U20	3.25" 8.3 cm	12 space	21" 53.3 cm	57 lbs. 25.9 kg
1SKB-R914U20	3.25" 8.3 cm	14 space	24.5" 62.2 cm	68.6 lbs. 31.1 kg
1SKB-R916U20	3.25" 8.3 cm	16 space	28" 71.1 cm	76 lbs. 34.5 kg
1SKB-1916	Caster Cart			

20" Roto Rolling Shock Racks

Our 20" Roto Rolling Shock Racks feature eight elastomeric shocks with a standard payload range from 40 lbs. to 150 lbs.



Standard Rack Depth - Front to Rear Rail: 20"/51cm

20" Shock Racks	Lid Depth	Vertical Rack Units	Rack Height	Product Wt.
3SKB-R04U20W	2.25" 5.7 cm	4 space	7" 17.8 cm	44.3 lbs. 20.1 kg
3SKB-R06U20W	2.25" 5.7 cm	6 space	10.5" 26.7 cm	50.7 lbs. 23 kg
3SKB-R08U20W	3.25" 8.3 cm	8 space	14" 35.6 cm	56.7 lbs. 25.7 kg
3SKB-R10U20W	3.25" 8.3 cm	10 space	17.5" 44.5 cm	61.7 lbs. 28 kg
3SKB-R12U20W	3.25" 8.3 cm	12 space	21" 53.3 cm	68 lbs. 30.8 kg

Military-Grade Shock Racks

24", 28" and 30" Shock Racks

Specifications:

- Rotationally Molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance.
- Compound hinge allow lids to store on the sides of the case. Lids easy to remove and reinstall in seconds.
- 8 elastomer, high damping, shock mounts. Additional shocks can be added for heavier payloads.
- Lids are fitted with rubber gaskets for water resistant protection
- Automatic ambient pressure equalization valve (MIL-STD-648C)
- Standard high quality slide-in/out locking swivel 4" casters.
- Black power coated stainless steel key-lockable latches.
- 4 1/2" lid depth (front/rear)



Corner elastomer shock mounts



4" Removeable casters on Aluminum plate



Square rack mounting holes on 28" deep rack versions

Model#	Rack Units*	Rail Type	Rail -to-Rail Depth	Outside Dims DxWxH	Product Wt.
3SKB-R904U24	4U	Threaded	24" 61 cm	36" x 26.75" x 16.25" 91.44 cm x 67.95 cm x 41.28 cm	58 lbs. 26.3 kg
3SKB-R906U24	6U	Threaded	24" 61 cm	36" x 26.75" x 19.50" 91.44 cm x 67.95 cm x 49.53 cm	66.7 lbs. 30.2 kg
3SKB-R908U24	8U	Threaded	24" 61 cm	36" x 26.75" x 23.25" 91.44 cm x 67.95 cm x 59.06 cm	74.7 lbs. 33.9 kg
3SKB-R910U24	10U	Threaded	24" 61 cm	36" x 26.75" x 27" 91.44 cm x 67.95 cm x 68.58 cm	79.9 lbs. 36.2 kg
3SKB-R912U24	12U	Threaded	24" 61 cm	36" x 26.75" x 30.50" 91.44 cm x 67.95 cm x 77.47 cm	83.25 lbs. 37.76 kg
3SKB-R914U24	14U	Threaded	24" 61 cm	36" x 26.75" x 34" 91.44 cm x 67.95 cm x 86.36 cm	94.15 lbs. 107 kg
3SKB-R916U24	16U	Threaded	24" 61 cm	36" x 26.75" x 37.50" 91.44 cm x 67.95 cm x 41.28 cm	102.55 lbs. 46.52 kg
3SKB-R904U28	4U	Square Hole	29.25" 74.30 cm	42" x 26.75" x 16.25" 106.68 cm x 67.95 cm x 41.28 cm	60.75 lbs. 27.56 kg
3SKB-R906U28	6U	Square Hole	29.25" 74.30 cm	42" x 26.75" x 19.50" 106.68 cm x 67.95 cm x 49.53 cm	66.75 lbs. 30.28 kg
3SKB-R908U28	8U	Square Hole	29.25" 74.30 cm	42" x 26.75" x 23.25" 106.68 cm x 67.95 cm x 59.06 cm	76.8 lbs. 34.84 kg
3SKB-R910U28	10U	Square Hole	29.25" 74.30 cm	42" x 26.75" x 27.25" 106.68 cm x 67.95 cm x 69.22 cm	79.85 lbs. 36.22 kg
3SKB-R904U30	4U	Threaded	30" 76.20 cm	42" x 26.75" x 16.25" 106.68 cm x 67.95 cm x 41.28 cm	60.75 lbs. 27.56 kg
3SKB-R906U30	6U	Threaded	30" 76.20 cm	42" x 26.75" x 19.50" 106.68 cm x 67.95 cm x 49.53 cm	66.75 lbs. 30.28 kg
3SKB-R908U30	8U	Threaded	30" 76.20 cm	42" x 26.75" x 23.25" 106.68 cm x 67.95 cm x 59.06 cm	76.8 lbs. 34.84 kg
3SKB-R910U30	10U	Threaded	30" 76.20 cm	42" x 26.75" x 27.25" 106.68 cm x 67.95 cm x 69.22 cm	79.85 lbs. 36.22 kg

* A standard Rack Unit is 1.75 inches (4.445 cm) in height.

24" Pullout Series

3RR Removable (slide out) Series inner rack system designed to meet ANSI/EIA-310-C standards with patent pending "positive lock" inner rack latch.

3RR-7U24-25

2" front lid and 5" rear lid with edge casters standard. Standard color is Black, also available in Desert Tan (shown) or OD Green.

3RR-9U24-25

Black powder coated stainless steel hardware (standard) which is recessed for protection.



Case coupling straps come standard and molded in stacking ribs and lugs are designed to stack with competitive manufacturers' cases.

Standard Rack Depth - Front to Rear Rail: 29.25"/74.3cm

24" PullOut Series	Lid Depth		Vertical Rack Units	Rack Height	Product Wt.
	Front	Rear			
3RR-3U24-25	2"	5"	3 space	5"	59 lbs. 26.8 kg
3RR-4U24-25	2"	5"	4 space	7"	62 lbs. 28.1 kg
3RR-5U24-25	2"	5"	5 space	8.75"	59 lbs. 26.8 kg
3RR-7U24-25	2"	5"	7 space	12.25"	59 lbs. 26.8 kg
3RR-9U24-25	2"	5"	9 space	15.75"	59 lbs. 26.8 kg
3RR-11U24-25	2"	5"	11 space	19.25"	59 lbs. 26.8 kg
3RR-14U24-25	2"	5"	14 space	24.5"	59 lbs. 26.8 kg



PRO AUDIO/VIDEO & CAMERA

Ultimate Protection and Effortless Mobility

CORPORATE & MANUFACTURING HEADQUARTERS

434 W. Levers Place, Orange CA 92867

ph: 714.637.1252

www.skbcases.com

SKB EUROPE

Hamelendijk 2

5541 RA Reusel

Netherlands

ph: +31 (0)497 339 836

www.skb-europe.com

